













MODEL MODELO MODÈLE МОДЕЛЬ	DN mm	Power Potencia Puissance Мощность		380V Amp.	Q=Delivery/Caudal/Débit/Подача																
		kw	hp		GPM 6.6	9	13	18	22	26	31	35	40	44	49	53	57	62	66	71	
					I/min 25	33	50	67	83	100	117	133	150	167	183	200	217	233	250	267	
					H=Head(m)/Altura(m)/Hauteur(m)/Общий напор в метрах водяного столба (м)																
CDL 4-2	32x32	0.37	0.5	1	19	18	17	15	13	10	8	-	-	-	-	-	-	-	-		
CDL 4-3	32x32	0.55	0.75	1.4	28	27	26	24	20	18	13	-	-	-	-	-	-	-	-		
CDL 4-4	32x32	0.75	1	1.7	38	36	34	32	27	24	19	-	-	-	-	-	-	-	-		
CDL 4-5	32x32	1.1	1.5	2.4	47	45	43	40	34	31	23	-	-	-	-	-	-	-	-		
CDL 4-6	32x32	1.1	1.5	2.4	56	54	52	48	41	37	28	-	-	-	-	-	-	-	-		
CDL 4-7	32x32	1.5	2	3.2	66	63	61	56	48	43	33	-	-	-	-	-	-	-	-		
CDL 4-8	32x32	1.5	2	3.2	74	72	70	64	55	50	38	-	-	-	-	-	-	-	-		
CDL 4-10	32x32	2.2	3	4.6	96	90	87	81	71	62	48	-	-	-	-	-	-	-	-		
CDL 4-12	32x32	2.2	3	4.6	114	108	104	95	85	75	58	-	-	-	-	-	-	-	-		
CDL 4-14	32x32	3	4	6	136	126	122	112	101	89	68	-	-	-	-	-	-	-	-		
CDL 4-16	32x32	3	4	6	152	144	140	129	115	101	78	-	-	-	-	-	-	-	-		
CDL 4-19	32x32	4	5.5	7.8	183	171	168	153	137	122	93	-	-	-	-	-	-	-	-		
CDL 4-22	32x32	4	5.5	7.8	211	200	192	178	160	138	108	-	-	-	-	-	-	-	-		
CDL 8-2-1	40x40	0.75	1	1.7	-	-	-	-	10	9.5	9.3	9	8.5	8	7	6	-	-	-		
CDL 8-2	40x40	0.75	1	1.7	-	-	-	-	20	19.5	19	18	17	16	14	13	-	-	-		
CDL 8-3	40x40	1.1	1.5	2.4	-	-	-	-	30	29.5	28.5	27	25	24	21	19	-	-	-		
CDL 8-4	40x40	1.5	2	3.2	-	-	-	-	41	39.5	38	36	34	32	28	26	-	-	-		
CDL 8-5	40x40	2.2	3	4.6	-	-	-	-	52	50	48	45	42	40	36	32	-	-	-		
CDL 8-6	40x40	2.2	3	4.6	-	-	-	-	62	60	57	54	51	48	43	39	-	-	-		
CDL 8-8	40x40	3	4	6	-	-	-	-	83	80	77	73	69	65	58	52	-	-	-		
CDL 8-10	40x40	4	5.5	7.8	-	-	-	-	104	100	97	92	87	81	73	65	-	-	-		
CDL 8-12	40x40	4	5.5	7.8	-	-	-	-	124	120	116	111	104	92	87	78	-	-	-		
CDL 8-14	40x40	5.5	7.5	10.6	-	-	-	-	145	141	136	130	122	113	102	92	-	-	-		
CDL 8-16	40x40	5.5	7.5	10.6	-	-	-	-	166	161	156	148	139	130	118	106	-	-	-		
CDL 8-18	40x40	7.5	10	14.4	-	-	-	-	187	182	175	167	157	146	134	120	-	-	-		
CDL 8-20	40x40	7.5	10	14.4	-	-	-	-	208	202	195	186	175	163	150	135	-	-	-		
CDL 10-1	40x40	0.75	1	1.7	-	-	-	-	9.7	9.3	8.9	8.3	7.7	7	6	5	4	-	-		
CDL 10-2	40x40	0.75	1	1.7	-	-	-	-	19.5	19	18	17	16	15	13.5	11.5	10	-	-		
CDL 10-3	40x40	1.1	1.5	2.4	-	-	-	-	29.5	29	28	27	25	23	21	18	16	-	-		
CDL 10-4	40x40	1.5	2	3.2	-	-	-	-	39.5	38.5	37.5	36	34	31	28	25	22	-	-		
CDL 10-5	40x40	2.2	3	4.6	-	-	-	-	49.5	48.5	47	44	42	39	35	32	28	-	-		
CDL 10-6	40x40	2.2	3	4.6	-	-	-	-	60	58	56	54	51	48	43	39	34	-	-		
CDL 10-7	40x40	3	4	6	-	-	-	-	70	68	66	63	60	56	51	45	39	-	-		
CDL 10-8	40x40	3	4	6	-	-	-	-	80	78	75	73	69	64	58	52	44	-	-		
CDL 10-9	40x40	3	4	6	-	-	-	-	90	87	85	81	77	72	66	58	50	-	-		
CDL 10-10	40x40	4	5.5	7.8	-	-	-	-	100	97	95	90	85	80	74	66	56	-	-		
CDL 10-12	40x40	4	5.5	7.8	-	-	-	-	120	117	114	109	104	96	89	79	68	-	-		
CDL 10-14	40x40	5.5	7.5	10.6	-	-	-	-	140	137	134	129	122	113	103	92	79	-	-		
CDL 10-16	40x40	5.5	7.5	10.6	-	-	-	-	160	158	153	148	140	129	119	106	91	-	-		
CDL 10-18	40x40	7.5	10	14.4	-	-	-	-	180	177	172	166	156	145	133	119	102	-	-		
CDL 10-20	40x40	7.5	10	14.4	-	-	-	-	200	196	191	184	173	162	147	132	114	-	-		
CDL 10-22	40x40	7.5	10	14.4	-	-	-	-	220	216	210	202	190	178	162	145	126	-	-		
CDL 12-2	50x50	1.5	2	3.2	-	-	-	-	-	23.5	23	22.5	22	21	20	18.5	17	15.5	14		
CDL 12-3	50x50	2.2	3	4.6	-	-	-	-	-	35.5	35	34	33	31.5	30	28	26	23.5	21		
CDL 12-4	50x50	3	4	6	-	-	-	-	-	47	46	45	44	42	40	37	34	31	28		
CDL 12-5	50x50	3	4	6	-	-	-	-	-	59.5	58	56.5	55	52.5	50	46.5	43	39	35		
CDL 12-6	50x50	4	5.5	7.8	-	-	-	-	-	71.5	70	68	66	63	60	56	52	47	42		
CDL 12-7	50x50	5.5	7.5	10.6	-	-	-	-	-	83.5	82	79.5	77	73.5	70	65.5	61	55	49		
CDL 12-8	50x50	5.5	7.5	10.6	-	-	-	-	-	95.5	94	91	88	84	80	75	70	63	56		
CDL 12-9	50x50	5.5	7.5	10.6	-	-	-	-	-	108	106	103	100	95.5	91	85	79	71.5	64		
CDL 12-10	50x50	7.5	10	14.4	-	-	-	-	-	120	118	114.5	111	106	101	94.5	88	80	72		
CDL 12-12	50x50	7.5	10	14.4	-	-	-	-	-	143.5	141	137	133	127	121	113.5	106	96	86		
CDL 12-14	50x50	11	15	20.6	-	-	-	-	-	168	165	160	155	148	141	132.5	124	112	100		
CDL 12-16	50x50	11	15	20.6	-	-	-	-	-	192.5	189	183.5	178	170	162	152	142	128.5	115		
CDL 12-18	50x50	11	15	20.6	-	-	-	-	-	217	213	207.5	202	192.5	183	171.5	160	145	130		







MODEL MODELO MODÈLE МОДЕЛЬ	DN mm	Power Potencia Puissance Мощность		380V Amp.	Q=Delivery/Caudal/Débit/Подача																
		kw	hp		GPM 3.5	44	53	62	70	79	88	97	106	115	123	141	159	176			
					I/min 133	167	200	233	267	300	333	367	400	433	467	533	600	667			
					H=Head(m)/Altura(m)/Hauteur(m)/Общий напор в метрах водяного столба (м)																
CDL 16-2	50x50	2.2	3	4.6	27	26	25	24	22	21	19	16	-	-	-	-	-	-	-		
CDL 16-3	50x50	3	4	6	41	40	38	37	34	32	29	25	-	-	-	-	-	-	-		
CDL 16-4	50x50	4	5.5	7.8	54	53	52	49	46	43	38	34	-	-	-	-	-	-	-		
CDL 16-5	50x50	5.5	7.5	10.6	68	67	65	62	58	54	48	43	-	-	-	-	-	-	-		
CDL 16-6	50x50	5.5	7.5	10.6	82	80	78	74	70	64	58	52	-	-	-	-	-	-	-		
CDL 16-7	50x50	7.5	10	14.4	96	95	91	87	82	76	68	61	-	-	-	-	-	-	-		
CDL 16-8	50x50	7.5	10	14.4	110	108	104	99	94	86	77	70	-	-	-	-	-	-	-		
CDL 16-10	50x50	11	15	20.6	138	136	131	125	118	109	97	87	-	-	-	-	-	-	-		
CDL 16-12	50x50	11	15	20.6	166	162	157	150	141	130	116	105	-	-	-	-	-	-	-		
CDL 16-14	50x50	15	20	27.9	194	190	184	175	166	152	136	122	-	-	-	-	-	-	-		
CDL 16-16	50x50	15	20	27.9	222	217	210	200	189	174	156	140	-	-	-	-	-	-	-		
CDL 20-1	50x50	1.1	1.5	2.4	-	13.5	13	12.5	12	11	10	9	8	7	6	-	-	-	-		
CDL 20-2	50x50	2.2	3	4.6	-	27	26.5	26	25	24	23	22	20	18	15	-	-	-	-		
CDL 20-3	50x50	4	5.5	7.8	-	40	39.5	39	38	37	35	33	30	27	24	-	-	-	-		
CDL 20-4	50x50	5.5	7.5	10.6	-	54	53	52	51	49	47	44	41	37	33	-	-	-	-		
CDL 20-5	50x50	5.5	7.5	10.6	-	67	66	64	62	60	58	55	50	45	40	-	-	-	-		
CDL 20-6	50x50	7.5	10	14.4	-	81	79	77	75	73	70	66	61	55	49	-	-	-	-		
CDL 20-7	50x50	7.5	10	14.4	-	95	93	91	89	86	82	77	71	65	58	-	-	-	-		
CDL 20-8	50x50	11	15	20.6	-	109	107	105	102	99	94	89	82	75	67	-	-	-	-		
CDL 20-10	50x50	11	15	20.6	-	136	134	131	128	124	118	111	103	95	85	-	-	-	-		
CDL 2																					







MODEL MODELO MODÈLE МОДЕЛЬ	DN mm	Power Potencia Puissance Мощность		380V Amp.	Q=Delivery/Caudal/Débit/Подача																
		kw	hp		GPM 110 l/min 417 m³/h 25	132	154	176	185	198	220	242	264	286	308	352	374	396	441	485	
						500	583	667	700	750	833	917	1000	1083	1167	1333	1417	1500	1667	1833	
					H=Head(m)/Altura(m)/Hauteur(m)/Общий напор в метрах водяного столба (м)																
CDL 45-10-1	80x80	3	4	6	20	19	18	17	16	15	13	11	-	-	-	-	-	-	-		
CDL 45-10	80x80	4	5.5	7.8	24	23	22	21	20	19	18	16	-	-	-	-	-	-	-		
CDL 45-20-2	80x80	5.5	7.5	10.6	40	38	36	33	32	30	27	23	-	-	-	-	-	-	-		
CDL 45-20	80x80	7.5	10	14.4	48	46	44	42	41	39	35	31	-	-	-	-	-	-	-		
CDL 45-30-2	80x80	11	15	20.6	63	61	58	54	52	50	44	38	-	-	-	-	-	-	-		
CDL 45-30	80x80	11	15	20.6	71	69	66	63	61	58	53	47	-	-	-	-	-	-	-		
CDL 45-40-2	80x80	15	20	27.9	87	84	80	75	73	69	62	54	-	-	-	-	-	-	-		
CDL 45-40	80x80	15	20	27.9	95	92	88	84	81	78	71	62	-	-	-	-	-	-	-		
CDL 45-50-2	80x80	18.5	25	34.2	111	107	102	96	93	88	80	69	-	-	-	-	-	-	-		
CDL 45-50	80x80	18.5	25	34.2	119	115	110	105	101	97	88	78	-	-	-	-	-	-	-		
CDL 45-60-2	80x80	22	30	40.5	135	130	124	117	113	108	97	85	-	-	-	-	-	-	-		
CDL 45-60	80x80	22	30	40.5	143	138	132	125	122	116	106	93	-	-	-	-	-	-	-		
CDL 45-70-2	80x80	30	40	54.9	158	152	146	138	134	127	115	100	-	-	-	-	-	-	-		
CDL 45-70	80x80	30	40	54.9	166	161	154	146	142	135	124	109	-	-	-	-	-	-	-		
CDL 45-80-2	80x80	30	40	54.9	182	175	168	159	154	146	133	116	-	-	-	-	-	-	-		
CDL 45-80	80x80	30	40	54.9	190	184	176	167	162	154	141	124	-	-	-	-	-	-	-		
CDL 45-90-2	80x80	30	40	54.9	205	198	190	180	174	166	150	132	-	-	-	-	-	-	-		
CDL 45-90	80x80	37	50	67.4	214	207	198	188	183	174	159	140	-	-	-	-	-	-	-		
CDL 45-100-2	80x80	37	50	67.4	230	221	212	200	194	185	168	147	-	-	-	-	-	-	-		
CDL 45-100	80x80	37	50	67.4	238	230	220	209	203	193	177	155	-	-	-	-	-	-	-		
CDL 45-110-2	80x80	45	60	80.8	255	246	236	223	217	206	188	165	-	-	-	-	-	-	-		
CDL 45-110	80x80	45	60	80.8	263	255	244	232	225	214	196	173	-	-	-	-	-	-	-		
CDL 45-120-2	80x80	45	60	80.8	280	270	259	245	238	226	206	181	-	-	-	-	-	-	-		
CDL 45-120	80x80	45	60	80.8	289	280	268	255	247	236	216	190	-	-	-	-	-	-	-		
CDL 45-130-2	80x80	45	60	80.8	305	294	282	267	259	247	225	198	-	-	-	-	-	-	-		
CDL 64-10-1	100x100	4	5.5	7.8	-	19	18	17	16	15	14	13	11	8	-	-	-	-	-		
CDL 64-10	100x100	5.5	7.5	10.6	-	27	26	25	24	23	22	21	20	18	15	-	-	-	-		
CDL 64-20-2	100x100	7.5	10	14.4	-	39	38	36	35	33	31	29	26	23	17	-	-	-	-		
CDL 64-20-1	100x100	11	15	20.6	-	46	45	44	43	42	40	38	36	33	30	24	-	-	-		
CDL 64-20	100x100	11	15	20.6	-	53	52	51	50	49	47	45	43	40	37	30	-	-	-		
CDL 64-30-2	100x100	15	20	27.9	-	66	64	62	61	59	56	53	50	46	41	32	-	-	-		
CDL 64-30-1	100x100	15	20	27.9	-	73	71	69	68	66	63	60	57	53	48	39	-	-	-		
CDL 64-30	100x100	18.5	25	34.2	-	80	78	76	75	73	70	67	64	60	55	46	-	-	-		
CDL 64-40-2	100x100	18.5	25	34.2	-	92	90	87	86	84	80	76	71	66	60	47	-	-	-		
CDL 64-40-1	100x100	22	30	40.5	-	100	97	94	93	91	87	83	78	73	67	54	-	-	-		
CDL 64-40	100x100	22	30	40.5	-	107	104	101	100	98	94	90	85	80	74	61	-	-	-		
CDL 64-50-2	100x100	30	40	54.9	-	121	118	114	112	110	105	100	95	88	80	64	-	-	-		
CDL 64-50-1	100x100	30	40	54.9	-	128	125	121	119	117	112	107	102	95	87	71	-	-	-		
CDL 64-50	100x100	30	40	54.9	-	136	133	129	127	124	119	114	109	102	94	78	-	-	-		
CDL 64-60-2	100x100	30	40	54.9	-	150	146	142	140	137	131	125	118	110	101	81	-	-	-		
CDL 64-60-1	100x100	37	50	67.4	-	157	153	149	147	144	138	132	125	117	108	88	-	-	-		
CDL 64-60	100x100	37	50	67.4	-	164	160	156	154	151	145	139	132	124	115	95	-	-	-		
CDL 64-70-2	100x100	37	50	67.4	-	179	174	169	167	163	156	149	141	132	121	99	-	-	-		
CDL 64-70-1	100x100	37	50	67.4	-	186	181	176	174	170	163	156	148	139	128	106	-	-	-		
CDL 64-70	100x100	45	60	80.8	-	193	188	183	181	177	170	163	155	146	135	112	-	-	-		
CDL 64-80-2	100x100	45	60	80.8	-	207	202	196	193	189	182	173	164	154	142	116	-	-	-		
CDL 64-80-1	100x100	45	60	80.8	-	215	209	203	200	196	189	180	171	161	149	123	-	-	-		
CDL 90-10-1	100x100	5.5	7.5	10.6	-	-	-	-	-	-	22	21	19	18	17	16	14	13	10	6	
CDL 90-10	100x100	7.5	10	14.4	-	-	-	-	-	-	25	25	24	23	22	21	20	19	16	12	
CDL 90-20-2	100x100	11	15	20.6	-	-	-	-	-	-	41	40	39	38	36	32	30	28	22	15	
CDL 90-20	100x100	15	20	27.9	-	-	-	-	-	-	53	52	50	49	47	44	41	40	36	30	
CDL 90-30-2	100x100	18.5	25	34.2	-	-	-	-	-	-	68	67	65	63	60	55	52	49	41	32	
CDL 90-30	100x100	22	30	40.5	-	-	-	-	-	-	81	79	77	75	72	67	64	62	55	48	
CDL 90-40-2	100x100	30	40	54.9	-	-	-	-	-	-	98	96	93	90	87	80	75	72	62	50	
CDL 90-40	100x100	30	40	54.9	-	-	-	-	-	-	110	108	105	103	100	92	86	84	76	66	
CDL 90-50-2	100x100	37	50	67.4	-	-	-	-	-	-	126	123	120	117	113	104	98	93	81	68	
CDL 90-50	100x100	37	50	67.4	-	-	-	-	-	-	139	135	131	128	124	115	110	106	94	83	
CDL 90-60-2	100x100	45	60	80.8	-	-	-	-	-	-	155	152	148	144	139	129	122	117	102	86	
CDL 90-60	100x100	45	60	80.8	-	-	-	-	-	-	168	164	160	155	150	141	134	130	117	103	







MODEL MODELO MODÈLE МОДЕЛЬ	DN mm	Power Potencia Puissance Мощность		380V Amp.	Q=Delivery/Caudal/Débit/Подача																			
		kw	hp		GPM 264 l/min 1000 m³/h 60	308	352	396	441	485	529	573	617	661	705	749	793	881	969	1057				
						1167	1333	1500	1667	1833	2000	2167	2333	2500	2667	2833	3000	3333	3667	4000				
					H=Head(m)/Altura(m)/Hauteur(m)/Общий напор в метрах водяного столба (м)																			
CDL120-10	125x125	11	15	20.6	22	21.8	21.6	21	20.5	19.5	18.5	17	16	15	-	-	-	-	-	-				
CDL120-20-2	125x125	15	20	27.9	34	33.6	33	31	30.2	30	28.5	27	25	24	-	-	-	-	-	-				
CDL120-20-1	125x125	18.5	25	34.2	41	40	39.5	38.5	37	36.5	34.5	32.5	30	27.5	-	-	-	-	-	-				
CDL120-20	125x125	22	30	40.5	46	45	44.5	43.5	42.4	41	40	38	36	33.5	-	-	-	-	-	-				
CDL120-30-2	125x125	30	40	54.9	57	56	55	53.5	52	51	49	46.5	43.5	41	-	-	-	-	-	-				
CDL120-30-1	125x125	30	40	54.9	64	63	62	60	58.5	57.5	55.5	52	49	46	-	-	-	-	-	-				
CDL120-30	125x125	30	40	54.9	69.5	68.5	67.5	66	64.4	62.5	61	57.5	54.5	51	-	-	-	-	-	-				
CDL120-40-2	125x125	37	50	67.4	80.5	79	78	76	73.5	72	69	66	61.5	58	-	-	-	-	-	-				
CDL120-40-1	125x125	37	50	67.4	87	86	84.5	82	80	78	76	72	68	64.5	-	-	-	-	-	-				
CDL120-40	125x125	45	60	80.8	92.5	91	90	88	85.5	83	81	77	73	68.5	-	-	-	-	-	-				
CDL120-50-2	125x125	45	60	80.8	104.5	103	101	99	96	93	90	85.5	80.5	75.5	-	-	-	-	-	-				
CDL120-50-1	125x125	45	60	80.8	110.5	109	107.5																	



































MATERIAL/MATERIAL/MATÉRIEL/MАТЕРИАЛ



No.	Description/Descripción Description/Описание	Material/Material Matériel/Mатериал	No.	Description/Descripción Description/Описание	Material/Material Matériel/Mатериал
1	Motor/Motor Moteur/Мотор	IP55 Class F/IP55 Clase F IP55 classe F/IP55 Класс F	9	Base Plate/Placa Base Plaque base/Опорная плита	Cast iron/Fundición Fonte/Чугун
2	Pump Case/Cuerpo de Bomba Boitier pompe/Корпус насоса	Cast iron/Fundición Fonte/Чугун	10	Inlet&Outlet/Entrada y salida Entrée et sortie/Вход и выход	CDL: Cast iron/Fundición Fonte/Чугун CDLF: SUS304/Inox304 Inox304/СУС304
3	Seal Base/Soportе Sello Seal Base/База тyleneй	SUS304/Inox304 Inox304/СУС304	11	Bearing/Cojinete Palier/Подшипник	Tungsten Carbide/Carburo Tungsteno Carbure tungstène/Карбид вольфрама
4	Mechanical Seal/Cierre Mecánico Garniture/Механическая печать	TuC&Carbon/TuC&Grafito TuC&Carbon/TuC&Углерод	12	Impeller/Impulsor Roue/Импульсор	SUS304/Inox304 Inox304/СУС304
5	Top Diffuser/Difusor Tопe Diffuseur supérieur/Диффузор Топ	SUS304/Inox304 Inox304/СУС304	13	Shaft/Eje Arbre/Вал	SUS304/Inox304 Inox304/СУС304
6	Diffuser/Difusor Diffuseur/Диффузор	SUS304/Inox304 Inox304/СУС304	14	Impeller Sleeve/Casquillo Impulsor Manchon roue/Втулка крыльчатки	SUS304/Inox304 Inox304/СУС304
7	Support Diffuser/Difusor Soporte Diffuseur support/Поддержка диффузора	SUS304/Inox304 Inox304/СУС304	15	Cylinder/Cilindro Cylindre/Цилиндр	SUS304/Inox304 Inox304/СУС304
8	Inducer/Inductor Inducteur/Индуктор	SUS304/Inox304 Inox304/СУС304	16	Coupling/Unión Couplage/Связь	Carbon Steel/Acero al Carbono Acier Carbone/Углеродистая сталь

DIMENSIONS AND N.W./DIMENSIONES Y PESOS/DIMENSIONS ET POIDS/РАЗМЕРЫ И ВЕС



MODEL MODELO MODÈLE МОДЕЛЬ	DIMENSIONS/DIMENSIONES DIMENSIONS/РАЗМЕРЫ mm				COMMON/COMÚN COMMUN/ОБЩИЙ	NW kg
	B1	B	D1	D2		
1-2	258	483	148	117	DN=25 a=50 b=100 c=150 d=210 e=20 f=180 g=210 h=13 j=75 k=250 m=32 n=4 r=85 s=14 t=115 w=60	20
1-3	276	501	148	117		20
1-4	294	519	148	117		21
1-5	312	537	148	117		21
1-6	330	555	148	117		22
1-7	348	573	148	117		23
1-8	366	591	148	117		24
1-9	384	609	148	117		25
1-10	402	627	148	117		26
1-11	420	645	148	117		26
1-12	448	693	170	142		29
1-13	466	711	170	142		30
1-15	502	747	170	142		31
1-17	538	783	170	142		33
1-19	574	819	170	142		34
1-21	610	855	170	142		35
1-23	646	891	170	142		36
1-25	692	982	190	155		42
1-27	728	1018	190	155		43
1-30	782	1072	190	155		45
1-33	836	1126	190	155		49
1-36	890	1180	190	155		51
2-2	258	483	148	117		20
2-3	276	501	148	117		20
2-4	294	519	148	117		22
2-5	312	537	148	117		23
2-6	340	585	170	142		26
2-7	358	603	170	142		26
2-9	394	639	170	142		28
2-11	430	675	170	142		29
2-13	476	766	190	155		35
2-15	512	802	190	155		36
2-18	566	856	190	155		41
2-22	638	928	190	155		42
2-26	720	1065	197	165		52
3-2	258	483	148	117		20
3-3	276	501	148	117	20	
3-4	294	519	148	117	21	
3-5	312	537	148	117	21	
3-6	330	555	148	117	23	
3-7	348	573	148	117	24	
3-8	376	621	170	142	27	
3-9	394	639	170	142	28	
3-10	412	657	170	142	28	
3-11	430	675	170	142	29	
3-12	448	693	170	142	30	
3-13	466	711	170	142	31	
3-15	502	747	170	142	32	
3-17	548	838	190	155	38	
3-19	584	874	190	155	39	
3-21	620	910	190	155	42	
3-23	656	946	190	155	43	
3-25	692	982	190	155	44	
3-27	728	1018	190	155	45	
3-29	764	1054	190	155	46	
3-31	810	1155	197	165	54	
3-33	846	1191	197	165	55	
3-36	900	1245	197	165	57	

MODEL MODELO MODÈLE МОДЕЛЬ	DIMENSIONS/DIMENSIONES DIMENSIONS/РАЗМЕРЫ mm				COMMON/COMÚN COMMUN/ОБЩИЙ	NW kg	MODEL MODELO MODÈLE МОДЕЛЬ	DIMENSIONS/DIMENSIONES DIMENSIONS/РАЗМЕРЫ mm				COMMON/COMÚN COMMUN/ОБЩИЙ	NW kg
	B1	B	D1	D2				B1	B	D1	D2		
4-2	276	501	148	117	DN=32 a=50 b=100 c=150 d=210 e=20 f=180 g=210 h=13 j=75 k=250 m=32 n=4 r=100 s=18 t=140 w=60	21	16-2	397	687	190	155	DN=50 a=90 b=130 c=199 d=260 e=35 f=215 g=247 h=14 j=90 k=300 m=50 n=4 r=125 s=18 t=165 w=80	42
4-3	303	528	148	117		22	16-3	452	797	197	165		50
4-4	340	585	170	142		25	16-4	497	852	230	188		59
4-5	367	612	170	142		27	16-5	562	952	260	208		76
4-6	394	639	170	142		27	16-6	607	997	260	208		77
4-7	431	721	190	155		33	16-7	652	1042	260	208		84
4-8	458	748	190	155		33	16-8	697	1087	260	208		86
4-10	512	802	190	155		37	16-10	875	1375	330	255		158
4-12	566	856	190	155		38	16-12	965	1465	330	255		161
4-14	630	975	197	165		46	16-14	1055	1555	330	255		174
4-16	684	1029	197	165	48	16-16	1145	1645	330	255	178		
4-19	765	1120	230	188	57	20-1	387	632	170	142	33		
4-22	846	1201	230	188	59	20-2	397	687	190	155	42		
8-2-1	347	592	170	142	DN=40 a=80 b=130 c=199 d=260 e=25 f=215 g=247 h=14 j=80 k=280 m=50 n=4 r=110 s=18 t=150 w=80	32	20-3	452	807	230	188	58	
8-2	347	592	170	142		32	20-4	517	907	260	208	74	
8-3	377	622	170	142		34	20-5	562	952	260	208	76	
8-4	417	707	190	155		40	20-6	607	997	260	208	82	
8-5	447	737	190	155		44	20-7	652	1042	260	208	84	
8-6	477	767	190	155		45	20-8	785	1285	330	255	153	
8-8	547	892	197	165		53	20-10	875	1375	330	255	157	
8-10	607	962	230	188		64	20-12	965	1465	330	255	170	
8-12	667	1022	230	188		66	20-14	1055	1555	330	255	172	
8-14	747	1137	260	208		81	20-17	1190	1740	330	255	195	
8-16	807	1197	260	208	84	32-10-1	505	795	190	155	64		
8-18	867	1257	260	208	93	32-10	505	795	190	155	68		
8-20	927	1317	260	208	94	32-20-2	575	920	197	165	77		
10-1	347	592	170	142	DN=40 a=80 b=130 c=199 d=260 e=25 f=215 g=247 h=14 j=80 k=280 m=50 n=4 r=110 s=18 t=150 w=80	40	32-20	575	930	230	188	85	
10-2	347	592	170	142		41	32-30-2	645	1035	260	208	100	
10-3	377	622	170	142		43	32-30	645	1035	260	208	100	
10-4	417	707	190	155		49	32-40-2	715	1105	260	208	109	
10-5	447	737	190	155		53	32-40	715	1105	260	208	109	
10-6	477	767	190	155		54	32-50-2	890	1390	330	255	181	
10-7	517	862	197	165		64	32-50	890	1390	330	255	181	
10-8	547	892	197	165		65	32-60-2	960	1460	330	255	185	
10-9	577	922	197	165		66	32-60	960	1460	330	255	185	
10-10	607	962	230	188		74	32-70-2	1030	1530	330	255	199	
10-12	667	1022	230	188	76	32-70	1030	1530	330	255	199		
10-14	747	1137	260	208	100	32-80-2	1100	1600	330	255	203		
10-16	807	1197	260	208	102	32-80	1100	1600	330	255	203		
10-18	867	1257	260	208	107	32-90-2	1170	1720	330	255	222		
10-20	927	1317	260	208	109	32-90	1170	1720	330	255	222		
10-22	987	1377	260	208	111	32-100-2	1240	1790	330	255	227		
12-2	367	657	190	155	DN=50 a=90 b=130 c=199 d=260 e=35 f=215 g=247 h=14 j=90 k=300 m=50 n=4 r=125 s=18 t=165 w=80	39	32-100	1240	1790	330	255	227	
12-3	397	687	190	155		43	32-110-2	1310	1885	360	285	272	
12-4	437	782	197	165		51	32-110	1310	1885	360	285	272	
12-5	467	812	197	165		53	32-120-2	1380	1955	360	285	276	
12-6	497	852	230	188		61	32-120	1380	1955	360	285	276	
12-7	547	937	260	208		73	32-130-2	1450	2100	400	310	337	
12-8	577	967	260	208		74	32-130	1450	2100	400	310	337	
12-9	607	997	260	208		76	32-140-2	1520	2170	400	310	341	
12-10	637	1027	260	208		83	32-140	1520	2170	400	310	341	
12-12	697	1087	260	208		87	32-150-2	1590	2240	400	310	345	
12-14	845	1345	330	255	157	32-150	1590	2240	400	310	345		
12-16	905	1405	330	255	161	32-160-2	1660	2310	400	310	350		
12-18	965	1465	330	255	164	32-160	1660	2310	400	310	350		

MODEL MODELO MODÈLE МОДЕЛЬ	DIMENSIONS/DIMENSIONES DIMENSIONS/РАЗМЕРЫ mm				COMMON/COMÚN COMMUN/ОБЩИЙ	NW kg	MODEL MODELO MODÈLE МОДЕЛЬ	DIMENSIONS/DIMENSIONES DIMENSIONS/РАЗМЕРЫ mm				COMMON/COMÚN COMMUN/ОБЩИЙ	NW kg
	B1	B	D1	D2				B1	B	D1	D2		
45-10-1	561	906	197	165	DN=80 a=140 b=190 c=245 d=365 e=45 f=266 g=330 h=14 j=140 k=365 m=80 n=8 r=160 s=18 t=200 w=120	83	120-10	840	1340	330	255	DN=125 a=180 b=275 c=340 d=380 e=40 f=380 g=472 h=18 j=180 k=380 m=125 n=8 s=28 r=220 t=270 w=175	230
45-10	561	916	230	188		90	120-20-2	1000	1500	330	255		245
45-20-2	641	1031	260	208		105	120-20-1	1000	1550	330	255		250
45-20	641	1031	260	208		110	120-20	1000	1575	360	285		285
45-30-2	826	1326	330	255		183	120-30-2	1160	1810	400	310		360
45-30	826	1326	330	255		183	120-30-1	1160	1810	400	310		360
45-40-2	906	1406	330	255		197	120-30	1160	1810	400	310		360
45-40	906	1406	330	255		197	120-40-2	1320	1970	400	310		400
45-50-2	986	1536	330	255		221	120-40-1	1320	1970	400	310		400
45-50	986	1536	330	255		221	120-40	1320	2005	460	340		460
45-60-2	1066	1641	360	285	261	120-50-2	1480	2165	460	340	470		
45-60	1066	1641	360	285	261	120-50-1	1480	2165	460	340	470		
45-70-2	1146	1796	400	310	320	120-50	1510	2270	540	370	575		
45-70	1146	1796	400	310	320	120-60-2	1670	2430	540	370	585		
45-80-2	1226	1876	400	310	324	120-60-1	1670	2430	540	370	585		
45-80	1226	1876	400	310	324	120-60	1670	2515	580	410	705		
45-90-2	1306	1956	400	310	328	120-70-2	1830	2675	580	410	715		
45-90	1306	1956	400	310	352	120-70-1	1830	2675	580	410	715		
45-100-2	1386	2036	400	310	355	120-70	1830	2675	580	410	715		
45-100	1386	2036	400	310	355	150-10-1	840	1340	330	255	230		
45-110-2	1466	2151	450	345	426	150-10	840	1340	330	255	235		
45-110	1466	2151	450	345	426	150-20-2	1000	1550	330	255	250		
45-120-2	1546	2231	450	345	432	150-20	1000	1650	400	310	350		
45-120	1546	2231	450	345	432	150-30-2	1160	1810	400	310	360		
45-130-2	1626	2311	450	345	438	150-30-1	1160	1810	400	310	360		
64-10-1	561	916	230	188	93	150-30	1160	1810	400	310	385		
64-10	561	951	260	208	105	150-40-2	1320	2005	460	340	460		
64-20-2	644	1034	260	208	110	150-40-1	1320	2005	460	340	460		
64-20-1	754	1254	330	255	182	150-40	1350	2110	540	370	560		
64-20	754	1254	330	255	182	150-50-2	1510	2270	540	370	570		
64-30-2	836	1336	330	255	196	150-50-1	1510	2355	580	410	690		
64-30-1	836	1336	330	255	197	150-50	1510	2355	580	410	690		
64-30	836	1386	330	255	221	150-60-2	1670	2515	580	410	700		
64-40-2	919	1469	330	255	225	150-60-1	1670	2515	580	410	700		
64-40-1	919	1494	360	285	258	150-60	1670	2515	580	410	700		
64-40	919	1494	360	285	258	200-10-B	907	1457	330	255	311		
64-50-2	1001	1651	400	310	319	200-10-A	907	1482	360	285	347		
64-50-1	1001	1651	400	310	319	200-10	907	1557	400	310	403		
64-50	1001	1651	400	310	320	200-20-2B	1101	1751	400	310	447		
64-60-2	1084	1734	400	310	325	200-20-2A	1101	1786	460	340	504		
64-60-1	1084	1734	400	310	349	200-20-A	1131	1891	540	370	595		
64-60	1084	1734	400	310	349	200-20	1131	1891	540	370	595		
64-70-2	1166	1816	400	310	353	200-30-2B	1325	2170	580	410	748		
64-70-1	1166	1816	400	310	353	200-30-A-B	1325	2170	580	410	748		
64-70	1166	1851	460	340	420	200-30-2A	1325	2170	580	410	748		