





DIMENSIONS AND N.W./DIMENSIONES Y PESOS/DIMENSIONS ET POIDS/РАЗМЕРЫ И ВЕС

MODEL MODELO MODÈLE МОДЕЛЬ	P2  kW	DIMENSIONS/DIMENSIONES DIMENSIONS/РАЗМЕРЫ mm											NW kg
		D	B1	B2	B3	B4	B5	H1	H2	H3	L1	L2	
FTD32-14G/2	0.75	120	151	125	101	101	144	90	135	469	320	160	33
FTD32-18G/2	1.1	120	151	125	101	101	144	90	135	469	320	160	34
FTD32-21G/2	1.5	140	171	137	101	101	144	90	137	514	320	160	38
FTD32-26G/2	2.2	140	171	137	101	101	144	90	137	514	320	160	42
FTD32-33G/2	3	160	196	150	109	109	144	90	145	572	340	170	52
FTD32-40G/2	4	160	214	169	128	128	144	100	151	593	360	180	65
FTD32-50G/2	5.5	200	257	190	128	128	144	100	173	656	360	180	84
FTD40-14G/2	0.75	122	151	125	98	95	120	68	139	451	320	160	31
FTD40-16G/2	1.1	122	151	125	98	95	120	68	139	451	320	160	32
FTD40-21G/2	1.5	140	171	137	98	95	120	68	149	504	320	160	38
FTD40-20G/2	2.2	140	171	137	105	95	144	85	144	516	320	160	43
FTD40-26G/2	3	160	196	150	116	109	144	85	156	578	340	170	54
FTD40-30G/2	4	160	214	169	116	109	144	85	156	583	340	170	62
FTD40-36G/2	5.5	200	257	190	133	128	144	90	181	654	380	190	85
FTD40-48G/2	7.5	200	257	190	133	128	144	90	181	654	380	190	94
FTD50-32G/2	3	160	196	150	128	128	144	105	150	592	400	200	64
FTD50-39G/2	4	160	214	169	128	128	144	105	150	597	400	200	71
FTD50-49G/2	5.5	200	257	190	128	128	144	105	172	660	400	200	88
FTD50-59G/2	7.5	200	257	190	163	163	144	105	178	666	440	220	112
FTD50-80G/2	11	350	315	261	163	163	144	105	222	783	440	220	184
FTD50-12G/2	1.1	120	151	125	114	101	144	105	135	484	340	170	37
FTD50-15G/2	1.5	140	171	137	114	101	144	105	137	529	340	170	42
FTD50-18G/2	2.2	140	171	137	114	101	144	105	137	529	340	170	45
FTD50-24G/2	3	160	196	150	114	101	144	105	147	589	340	170	55
FTD50-28G/2	4	160	214	169	118	109	144	105	152	599	340	170	64
FTD50-35G/2	5.5	200	257	190	118	109	144	105	175	663	340	170	81
FTD50-40G/2	7.5	200	257	190	142	138	144	105	175	663	400	200	98
FTD50-50G/2	11	350	314	261	142	138	144	105	225	830	400	200	173
FTD50-60G/2	15	350	314	261	171	163	144	115	225	840	440	220	196
FTD50-70G/2	18.5	350	314	261	171	163	144	115	225	884	440	220	203
FTD50-81G/2	22	350	355	273	171	163	144	115	225	917	440	220	256
FTD65-37G/2	5.5	200	257	190	128	128	144	105	180	668	400	200	90
FTD65-48G/2	7.5	200	257	190	128	128	144	105	180	668	400	200	98
FTD65-15G/2	2.2	140	171	137	116	101	144	105	153	545	340	170	48
FTD65-20G/2	3	160	196	150	116	101	144	105	163	605	340	170	57
FTD65-22G/2	4	160	214	169	116	101	144	105	163	610	340	170	64
FTD65-30G/2	5.5	200	257	190	131	115	144	105	194	682	360	180	85
FTD65-34G/2	7.5	200	257	190	131	115	144	105	194	682	360	180	94
FTD65-41G/2	11	350	314	261	148	138	144	105	234	839	400	200	173
FTD65-51G/2	15	350	314	261	148	138	144	105	234	839	400	200	188
FTD65-61G/2	18.5	350	314	261	174	162	160	125	228	897	475	238	208
FTD65-68G/2	22	350	355	273	174	162	160	125	228	930	475	238	260
FTD65-85G/2	30	400	397	314	174	162	160	125	231	1008	475	238	322
FTD80-41G/2	11	350	314	261	137	128	144	115	221	836	500	250	176
FTD80-48G/2	15	350	314	261	137	128	144	115	221	836	500	250	191
FTD80-13G/2	3	160	196	150	134	112	144	105	171	613	400	200	63
FTD80-18G/2	4	160	214	169	134	112	144	105	171	618	400	200	70
FTD80-23G/2	5.5	200	257	190	134	112	144	105	195	683	400	200	87
FTD80-29G/2	7.5	200	257	190	134	112	144	105	195	683	400	200	95
FTD80-32G/2	11	350	314	261	159	138	144	115	240	855	450	225	179
FTD80-38G/2	15	350	314	261	159	138	144	115	240	855	450	225	194
FTD80-47G/2	18.5	350	314	261	159	138	144	115	240	899	450	225	203
FTD80-54G/2	22	350	355	273	159	138	144	115	240	932	450	225	256
FTD80-67G/2	30	400	397	314	180	162	160	115	242	1017	500	250	324

DIMENSIONS AND N.W./DIMENSIONES Y PESOS/DIMENSIONS ET POIDS/РАЗМЕРЫ И ВЕС

MODEL MODELO MODÈLE МОДЕЛЬ	P2  kW	DIMENSIONS/DIMENSIONES DIMENSIONS/РАЗМЕРЫ mm											NW kg
		D	B1	B2	B3	B4	B5	H1	H2	H3	L1	L2	
FTD100-9/2	2.2	140	171	137	134	101	160	105	178	570	450	225	56
FTD100-15/2	4	160	214	169	134	101	160	105	190	637	450	225	73
FTD100-17G/2	5.5	200	257	190	146	118	144	120	199	702	450	225	96
FTD100-22G/2	7.5	200	257	190	146	118	144	120	199	702	450	225	104
FTD100-27/2	11	350	314	261	147	123	144	140	260	900	550	275	187
FTD100-33/2	15	350	314	261	147	123	144	140	260	900	550	275	202
FTD100-40G/2	18.5	350	314	261	181	152	230	140	270	954	550	275	220
FTD100-48G/2	22	350	355	273	181	152	230	140	270	987	550	275	273
FTD100-52G/2	30	400	397	314	181	152	230	140	270	1062	550	275	336
FTD125-11G/4	5.5	200	257	190	198	162	230	160	229	772	620	310	140
FTD125-14G/4	7.5	200	257	190	198	162	230	160	229	772	620	310	150
FTD125-19G/4	11	350	314	261	213	178	230	160	301	961	660	330	255
FTD125-22G/4	15	350	314	261	236	208	230	215	292	1051	800	400	310
FTD125-28G/4	18.5	350	355	273	236	208	230	215	292	1084	800	400	340
FTD125-32G/4	22	350	355	273	236	208	230	215	292	1122	800	400	361
FTD125-40G/4	30	400	397	314	261	233	230	160	298	1110	800	400	455
FTD125-48G/4	37	400	445	334	261	233	230	160	313	1167	800	400	492
FTD150-12.5G/4	11	350	314	261	217	180	230	175	297	972	660	330	260
FTD150-17G/4	15	350	315	261	217	180	230	175	297	1016	660	330	281
FTD150-22G/4	18.5	350	355	273	217	180	230	175	297	1049	660	330	312
FTD150-25/4	22	350	355	273	238	208	230	215	269	1061	800	400	365
FTD150-33/4	30	400	397	314	238	208	230	215	269	1136	800	400	445
FTD150-40/4	37	450	445	334	267	248	230	230	288	1212	900	450	518
FTD150-50/4	45	450	445	334	267	248	230	230	288	1212	900	450	570
FTD200-16/4	18.5	350	355	273	278	219	360	270	415	1265	1000	500	417
FTD200-19/4	22	350	355	273	278	219	360	270	415	1305	1000	500	434
FTD200-24/4	30	400	397	314	303	252	360	270	415	1335	1100	550	537
FTD200-31/4	37	450	445	334	303	252	360	270	445	1395	1100	550	602
FTD200-36/4	45	450	445	334	303	252	360	270	445	1420	1100	550	648
FTD200-47/4	55	550	484	367	315	269	360	270	457	1517	1100	550	744
FTD200-53/4	75	550	547	407	315	269	360	270	457	1587	1100	550	877
FTD200-12.5/4	22	350	355	273	278	219	360	270	415	1300	1000	500	432
FTD200-20/4	30	400	397	314	278	219	360	270	415	1334	1000	500	492
FTD200-23/4	37	450	445	334	303	252	360	270	445	1389	1100	550	602
FTD200-27/4	45	450	445	334	303	252	360	270	445	1412	1100	550	638
FTD200-32/4	55	550	484	367	303	252	360	270	445	1488	1100	550	710
FTD200-43/4	75	550	547	407	315	269	360	270	457	1556	1100	550	883
FTD200-50/4	90	550	547	407	315	269	360	270	457	1607	1100	550	975
FTD250-16/4	30	400	397	314	316	243	390	300	465	1430	1100	550	550
FTD250-19/4	37	450	445	334	316	243	390	300	495	1475	1100	550	611
FTD250-22/4	45	450	445	334	316	243	390	300	495	1			





