

TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES/ТЕХНИЧЕСКИЕ ДАННЫЕ









50Hz n≈2900l/min









Table with columns for Model, DN, Power (Potencia/Potencia/Puissance), Q=Delivery/Caudal/Débit/Подача, and N=Head(m)/Altura(m)/Hauteur(m)/Общий напор в метрах водяного столба (м). Rows include models 3.5SDM3/6 through 4SDM3/52.









TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES/ТЕХНИЧЕСКИЕ ДАННЫЕ





50Hz n≈2900l/min

Table with columns for Model, DN, Power (Potencia/Potencia/Puissance), Q=Delivery/Caudal/Débit/Подача, and N=Head(m)/Altura(m)/Hauteur(m)/Общий напор в метрах водяного столба (м). Rows include models 4SDM4/6 through 4SDM10/34.











DIMENSIONS AND N.W./DIMENSIONES Y PESOS/DIMENSIONS ET POIDS/РАЗМЕРЫ И ВЕС




MODEL MODELO MODÈLE МОДЕЛЬ	DN	DIMENSIONS/DIMENSIONES/DIMENSIONS/РАЗМЕРЫ mm								NW kg				
		P		M		T		ΦD1	ΦD2	P	M		T	
		1-ph	3-ph	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph		1-ph	3-ph	1-ph	3-ph
2SDM0.7/26	-	0.5"/0.75"	746	422	-	1168	-	51	50	2.0	4.3	-	6.3	-
2SDM0.7/32	-	0.5"/0.75"	903	422	-	1325	-	51	50	2.3	4.3	-	6.6	-
2SDM0.7/38	-	0.5"/0.75"	1039	422	-	1461	-	51	50	2.6	4.3	-	6.9	-
2.5SDM1.5/12	-	1"	490	278	-	768	-	66	65	1.5	6.9	-	8.4	-
2.5SDM1.5/17	-	1"	645	303	-	948	-	66	65	2.1	7.6	-	9.7	-
2.5SDM1.5/24	-	1"	831	338	-	1160	-	66	65	3.1	8.2	-	11.3	-
2.5SDM1.5/31	-	1"	1040	388	-	1428	-	66	65	3.9	8.9	-	12.8	-
2.5SDM1.5/40	-	1"	1279	438	-	1717	-	66	65	5.1	9.6	-	14.7	-
2.5SDM2/10	-	1"	437	278	-	716	-	66	65	1.3	6.9	-	8.2	-
2.5SDM2/14	-	1"	565	303	-	868	-	66	65	1.8	7.6	-	9.4	-
2.5SDM2/20	-	1"	725	338	-	1063	-	66	65	2.5	8.2	-	10.7	-
2.5SDM2/26	-	1"	885	388	-	1273	-	66	65	3.3	8.9	-	12.2	-
2.5SDM2/32	-	1"	1066	438	-	1504	-	66	65	4.1	9.6	-	13.7	-
3SDM2/8	3SD2/8	1"/1.2"/1.5"	378	281	281	659	659	75	73	1.9	4.0	4.0	5.9	5.9
3SDM2/11	3SD2/11	1"/1.2"/1.5"	447	301	301	748	748	75	73	2.2	4.8	4.0	7.0	6.2
3SDM2/15	3SD2/15	1"/1.2"/1.5"	539	331	331	870	870	75	73	2.6	5.6	4.8	8.2	7.4
3SDM2/21	3SD2/21	1"/1.2"/1.5"	701	361	361	1062	1062	75	73	3.3	6.4	5.6	9.7	8.9
3SDM2/27	3SD2/27	1"/1.2"/1.5"	839	401	401	1240	1240	75	73	3.8	7.5	6.4	11.3	10.2
3SDM2/33	3SD2/33	1"/1.2"/1.5"	1001	441	441	1442	1442	75	73	4.6	8.7	7.5	13.3	12.1
3SDM2/39	3SD2/39	1"/1.2"/1.5"	1116	486	486	1602	1602	75	73	5.3	10.0	8.7	15.3	14.0
3SDM2/46	3SD2/46	1"/1.2"/1.5"	1324	536	536	1860	1860	75	73	6.1	11.3	10.0	17.4	16.1
3SDM3/6	3SD3/6	1"/1.2"/1.5"	350	281	281	631	631	75	73	1.6	4.8	4.0	6.4	5.6
3SDM3/8	3SD3/8	1"/1.2"/1.5"	402	301	301	703	703	75	73	1.9	4.8	4.0	6.7	5.9
3SDM3/11	3SD3/11	1"/1.2"/1.5"	480	331	331	811	811	75	73	2.2	5.6	4.8	7.8	7
3SDM3/16	3SD3/16	1"/1.2"/1.5"	634	361	361	995	995	75	73	2.8	6.4	5.6	9.2	8.4
3SDM3/21	3SD3/21	1"/1.2"/1.5"	764	401	401	1165	1165	75	73	3.4	7.5	6.4	10.9	9.8
3SDM3/26	3SD3/26	1"/1.2"/1.5"	894	441	441	1335	1335	75	73	3.9	8.7	6.4	12.6	10.3
3SDM3/31	3SD3/31	1"/1.2"/1.5"	1048	486	486	1534	1534	75	73	4.6	10.0	7.5	14.6	12.1
3SDM3/37	3SD3/37	1"/1.2"/1.5"	1204	536	536	1740	1740	75	73	5.2	11.3	10.0	16.5	15.2
3SDM4/6	3SD4/6	1"/1.2"/1.5"	382	301	301	683	683	75	73	1.5	4.8	4.0	6.3	5.5
3SDM4/9	3SD4/9	1"/1.2"/1.5"	477	331	331	808	808	75	73	2.0	5.6	4.8	7.6	6.8
3SDM4/12	3SD4/12	1"/1.2"/1.5"	596	361	361	957	957	75	73	2.4	6.4	5.6	8.8	8
3SDM4/16	3SD4/16	1"/1.2"/1.5"	722	401	401	1123	1123	75	73	3.0	7.5	6.4	10.5	9.4
3SDM4/20	3SD4/20	1"/1.2"/1.5"	848	441	441	1289	1289	75	73	3.5	8.7	7.5	12.2	11.0
3SDM4/24	3SD4/24	1"/1.2"/1.5"	998	486	486	1484	1484	75	73	4.1	10.0	8.7	14.1	12.8
3SDM4/28	3SD4/28	1"/1.2"/1.5"	1124	536	536	1660	1660	75	73	4.7	11.3	10.0	16.0	14.7
3SDM6/4	3SD6/4	1.2"/1.5"	335	301	301	636	636	75	73	1.3	4.8	4.0	6.1	5.3
3SDM6/6	3SD6/6	1.2"/1.5"	401	331	331	732	732	75	73	1.6	5.6	4.8	7.2	6.4
3SDM6/8	3SD6/8	1.2"/1.5"	466	361	361	827	827	75	73	2	6.4	5.6	8.4	7.6
3SDM6/11	3SD6/11	1.2"/1.5"	565	401	401	966	966	75	73	2.3	7.5	6.4	9.8	8.7
3SDM6/14	3SD6/14	1.2"/1.5"	687	441	441	1272	1272	75	73	2.8	8.7	7.5	11.5	10.3
3SDM6/17	3SD6/17	1.2"/1.5"	786	486	486	1472	1472	75	73	3.2	10.0	8.7	13.2	11.9
3SDM6/20	3SD6/20	1.2"/1.5"	884	536	536	1620	1620	75	73	3.6	11.3	10.0	14.9	13.6
3.5SDM2/8	3.5SD2/8	1.2"/1.5"	397	288	278	685	675	86	85	2.4	5.4	5.4	7.8	7.8
3.5SDM2/11	3.5SD2/11	1.2"/1.5"	468	303	288	771	756	86	85	2.9	6.0	5.4	8.9	8.3
3.5SDM2/14	3.5SD2/14	1.2"/1.5"	538	323	303	861	841	86	85	3.3	6.7	6.0	10.0	9.3
3.5SDM2/17	3.5SD2/17	1.2"/1.5"	635	348	323	983	958	86	85	3.8	7.7	6.7	11.5	10.5
3.5SDM2/21	3.5SD2/21	1.2"/1.5"	729	373	348	1102	1077	86	85	4.3	8.7	7.7	13.0	12.0
3.5SDM2/24	3.5SD2/24	1.2"/1.5"	824	398	373	1222	1197	86	85	4.8	9.6	8.7	14.4	13.5
3.5SDM2/28	3.5SD2/28	1.2"/1.5"	918	423	398	1341	1316	86	85	5.3	10.6	9.6	15.9	14.9
3.5SDM2/32	3.5SD2/32	1.2"/1.5"	1038	448	423	1486	1461	86	85	6.0	11.6	10.6	17.6	16.6
3.5SDM2/38	3.5SD2/38	1.2"/1.5"	1156	478	448	1634	1604	86	85	6.8	12.8	11.6	19.6	18.4
-	3.5SD2/44	1.2"/1.5"	1297	-	478	-	1775	86	85	7.6	-	12.8	-	20.4
-	3.5SD2/52	1.2"/1.5"	1512	-	556	-	2068	86	85	8.8	-	16	-	24.8

DIMENSIONS AND N.W./DIMENSIONES Y PESOS/DIMENSIONS ET POIDS/РАЗМЕРЫ И ВЕС




MODEL MODELO MODÈLE МОДЕЛЬ		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS/РАЗМЕРЫ mm								NW kg			
1-ph	3-ph	inch	P	M		T		ΦD1	ΦD2	P	M		T	
1-ph	3-ph	inch	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph
3.5SDM3/6	3.5SD3/6	1.2"/1.5"	365	288	278	653	643	86	85	2.1	5.4	5.4	7.5	7.5
3.5SDM3/8	3.5SD3/8	1.2"/1.5"	417	303	288	720	705	86	85	2.4	6.0	5.4	8.4	7.8
3.5SDM3/11	3.5SD3/11	1.2"/1.5"	496	323	303	819	799	86	85	2.9	6.7	6.0	9.6	8.9
3.5SDM3/14	3.5SD3/14	1.2"/1.5"	575	348	323	923	898	86	85	3.3	7.7	6.7	11.0	10.0
3.5SDM3/17	3.5SD3/17	1.2"/1.5"	679	373	348	1052	1027	86	85	3.9	8.7	7.7	12.6	11.6
3.5SDM3/20	3.5SD3/20	1.2"/1.5"	758	398	373	1156	1131	86	85	4.4	9.6	8.7	14.0	13.1
3.5SDM3/23	3.5SD3/23	1.2"/1.5"	836	423	398	1259	1234	86	85	4.8	10.6	9.6	15.4	14.4
3.5SDM3/26	3.5SD3/26	1.2"/1.5"	915	448	423	1363	1338	86	85	5.3	11.6	10.6	16.9	15.9
3.5SDM3/30	3.5SD3/30	1.2"/1.5"	1020	478	448	1498	1468	86	85	6.0	12.8	11.6	18.8	17.6
-	3.5SD3/35	1.2"/1.5"	1176	-	478	-	1654	86	85	6.7	-	12.8	-	19.5
-	3.5SD3/42	1.2"/1.5"	1385	-	556	-	1941	86	85	7.9	-	16	-	23.9
3.5SDM4/7	3.5SD4/7	1.2"/1.5"	408	303	288	711	696	86	85	2.4	6.0	5.4	8.4	7.8
3.5SDM4/9	3.5SD4/9	1.2"/1.5"	465	323	303	788	768	86	85	2.7	6.7	6.0	9.4	8.7
3.5SDM4/11	3.5SD4/11	1.2"/1.5"	523	348	323	871	846	86	85	3.1	7.7	6.7	10.8	9.8
3.5SDM4/13	3.5SD4/13	1.2"/1.5"	580	373	348	953	928	86	85	3.4	8.7	7.7	12.1	11.1
3.5SDM4/16	3.5SD4/16	1.2"/1.5"	691	398	373	1089	1059	86	85	4.0	9.6	8.7	13.6	12.7
3.5SDM4/18	3.5SD4/18	1.2"/1.5"	748	423	398	1177	1147	86	85	4.3	10.6	9.6	14.9	13.9
3.5SDM4/21	3.5SD4/21	1.2"/1.5"	834	448	423	1282	1252	86	85	4.8	11.6	10.6	16.4	15.4
3.5SDM4/24	3.5SD4/24	1.2"/1.5"	920	478	448	1398	1368	86	85	5.3	12.8	11.6	18.1	16.9
-	3.5SD4/28	1.2"/1.5"	1057	-	478	-	1535	86	85	6.0	-	12.8	-	18.8
-	3.5SD4/34	1.2"/1.5"	1231	-	556	-	1787	86	85	7.0	-	16.0	-	23.0
3.5SDM7/5	3.5SD7/5	1.2"/1.5"	373	303	288	676	661	86	85	1.8	6.0	5.4	7.8	7.2
3.5SDM7/7	3.5SD7/7	1.2"/1.5"	439	323	303	762	742	86	85	2.5	6.7	6.0	9.2	8.5
3.5SDM7/9	3.5SD7/9	1.2"/1.5"	505	348	323	853	828	86	85	3.2	7.7	6.7	10.9	9.9
3.5SDM7/12	3.5SD7/12	1.2"/1.5"	631	398	373	1029	1004	86	85	4.3	9.6	8.7	13.9	13.0
3.5SDM7/15	3.5SD7/15	1.2"/1.5"	730	448	423	1178	1153	86	85	5.4	11.6	10.6	17.0	16.0
3.5SDM7/18	3.5SD7/18	1.2"/1.5"	829	478	448	1307	1277	86	85	6.5	12.8	11.6	19.3	18.1
-	3.5SD7/21	1.2"/1.5"	929	-	478	-	1407	86	85	7.6	-	12.8	-	20.4
-	3.5SD7/25	1.2"/1.5"	1087	-	556	-	1643	86	85	9.0	-	16.0	-	25.0
4SDM2/7	4SD2/7	1"/1.2"/1.5"	396	289	289	685	685	100	95	3.2	5.9	5.9	9.1	9.1
4SDM2/9	4SD2/9	1"/1.2"/1.5"	444	304	304	748	748	100	95	3.6	6.6	6.6	10.2	10.2
4SDM2/12	4SD2/12	1"/1.2"/1.5"	518	319	319	837	837	100	95	4.1	7.3	7.3	11.4	11.4
4SDM2/15	4SD2/15	1"/1.2"/1.5"	591	349	334	940	925	100	95	4.7	8.7	7.9	13.4	12.6
4SDM2/18	4SD2/18	1"/1.2"/1.5"	695	369	349	1064	1044	100	95	5.5	9.8	8.7	15.3	14.2
4SDM2/21	4SD2/21	1"/1.2"/1.5"	768	389	369	1157	1137	100	95	6.0	10.6	9.8	16.6	15.8
4SDM2/24	4SD2/24	1"/1.2"/1.5"	841	414	389	1255	1230	100	95	6.6	11.5	10.6	18.1	17.2
4SDM2/28	4SD2/28	1"/1.2"/1.5"	938	439	414	1377	1352	100	95	7.4	12.7	11.5	20.1	18.9
4SDM2/32	4SD2/32	1"/1.2"/1.5"	1035	474	439	1509	1474	100	95	8.1	14.4	12.7	22.5	20.8
4SDM2/37	4SD2/37	1"/1.2"/1.5"	1188	514	474	1702	1662	100	95	9.3	16.4	14.4	25.7	23.7
4SDM2/42	4SD2/42	1"/1.2"/1.5"	1310	554	514	1864	1824	100	95	10.2	19.8	16.4	30.0	26.6
4SDM2/47	4SD2/47	1"/1.2"/1.5"	1431	589	554	2020	1985	100	95	11.2	21.5	19.8	32.7	31.0
-	4SD2/52	1"/1.2"/1.5"	1584	-	589	-	2173	100	95	12.3	-	21.5	-	33.8
-	4SD2/60	1"/1.2"/1.5"	1779	-	629	-	2408	100	95	13.8	-	23.0	-	36.8
4SDM3/5	4SD3/5	1.2"/1.5"	354	289	289	643	643	100	95	2.9	5.9	5.9	8.8	8.8
4SDM3/7	4SD3/7	1.2"/1.5"	405	304	304	709	709	100	95	3.3	6.6	6.6	9.9	9.9
4SDM3/10	4SD3/10	1.2"/1.5"	482	319	319	801	801	100	95	3.8	7.3	7.3	11.1	11.1
4SDM3/12	4SD3/12	1.2"/1.5"	533	349	334	882	867	100	95	4.1	8.7	7.9	12.8	12.0
4SDM3/13	4SD3/13	1.2"/1.5"	559	349	334	908	893	100	95	4.4	8.7	7.9	13.1	12.3
4SDM3/15	4SD3/15	1.2"/1.5"	610	369	349	979	959	100	95	4.8	9.8	8.7	14.6	13.5
4SDM3/17	4SD3/17	1.2"/1.5"	661	389	369	1050	1030	100	95	4.8	10.6	9.8	15.4	14.6
4SDM3/20	4SD3/20	1.2"/1.5"	770	414	389	1184	1159	100	95	6.0	11.5	10.6	17.5	16.6
4SDM3/22	4SD3/22	1.2"/1.5"	821	439	414	1260	1235	100	95	6.4	12.7	11.5	19.1	17.9
4SDM3/26	4SD3/26	1.2"/1.5"	923	474	439	1397	1362	100	95	7.2	14.4	12.7	21.6	19.9
4SDM3/30	4SD3/30	1.2"/1.5"	1080	514	474	1594	1554	100	95	8.4	16.4	14.4	24.8	22.8
4SDM3/35	4SD3/35	1.2"/1.5"	1248	554	514	1802	1762	100	95	9.6	19.8	16.4	29.4	26.0
4SDM3/40	4SD3/40	1.2"/1.5"	1385	589	554	1974	1939	100	95	10.6	21.5	19.8	32.1	30.4
-	4SD3/45	1.2"/1.5"	1554	-	589	-	2143	100	95	11.9	-	21.5	-	33.4
-	4SD3/52	1.2"/1.5"	1745	-	629	-	2374	100	95	13.3	-	23.0	-	36.3


DIMENSIONS AND N.W./DIMENSIONES Y PESOS/DIMENSIONS ET POIDS/РАЗМЕРЫ И ВЕС



MODEL MODELO MODÈLE МОДЕЛЬ		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS/РАЗМЕРЫ mm								NW kg			
1-ph	3-ph	inch	P	M		T		ΦD1	ΦD2	P	M		T	
1-ph	3-ph	inch	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph
4SDM4/6	4SD4/6	1"/1.2"/1.5"	394	304	304	698	698	100	95	3.2	6.6	6.6	9.8	9.8
4SDM4/8	4SD4/8	1"/1.2"/1.5"	450	319	319	769	769	100	95	3.5	7.3	7.3	10.8	10.8
4SDM4/10	4SD4/10	1"/1.2"/1.5"	507	349	334	856	841	100	95	3.9	8.7	7.9	12.6	11.8
4SDM4/12	4SD4/12	1"/1.2"/1.5"	563	369	349	932	912	100	95	4.4	9.8	8.7	14.2	13.1
4SDM4/14	4SD4/14	1"/1.2"/1.5"	619	389	369	1008	988	100	95	4.8	10.6	9.8	15.4	14.6
4SDM4/16	4SD4/16	1"/1.2"/1.5"	707	414	389	1121	1096	100	95	5.4	11.5	10.6	16.9	16.0
4SDM4/18	4SD4/18	1"/1.2"/1.5"	763	439	414	1202	1177	100	95	5.9	12.7	11.5	18.6	17.4
4SDM4/21	4SD4/21	1"/1.2"/1.5"	848	474	439	1322	1287	100	95	6.4	14.4	12.7	20.8	19.1
4SDM4/24	4SD4/24	1"/1.2"/1.5"	932	514	474	1446	1406	100	95	7.1	16.4	14.4	23.5	21.5
4SDM4/28	4SD4/28	1"/1.2"/1.5"	1044	554	514	1598	1558	100	95	7.9	19.8	16.4	27.7	24.3
4SDM4/32	4SD4/32	1"/1.2"/1.5"	1246	589	554	1835	1800	100	95	9.4	21.5	19.8	30.9	29.2
-	4SD4/36	1"/1.2"/1.5"	1365	-	589	-	1954	100	95	10.3	-	21.5	-	31.8
-	4SD4/42	1"/1.2"/1.5"	1576	-	629	-	2205	100	95	11.8	-	23.0	-	34.8
-	4SD4/50	1"/1.2"/1.5"	1816	-	719	-	2535	100	95	13.6	-	28.0	-	41.6
4SDM6/5	4SD6/5	1.2"/1.5"/2"	398	304	304	702	702	100	95	3.1	6.6	6.6	9.7	9.7
4SDM6/6	4SD6/6	1.2"/1.5"/2"	432	319	319	751	751	100	95	3.4	7.3	7.3	10.7	10.7
4SDM6/7	4SD6/7	1.2"/1.5"/2"	466	349	334	815	800	100	95	3.6	8.7	7.9	12.3	11.5
4SDM6/9	4SD6/9	1.2"/1.5"/2"	535	369	349	904	884	100	95	4.1	9.8	8.7	13.9	12.8
4SDM6/11	4SD6/11	1.2"/1.5"/2"	604	389	369	993	973	100	95	4.6	10.6	9.8	15.2	14.4
4SDM6/13	4SD6/13	1.2"/1.5"/2"	705	414	389	1119	1094	100	95	5.4	11.5	11.6	16.9	17.0
4SDM6/15	4SD6/15	1.2"/1.5"/2"	774	439	414	1213	1188	100	95	5.9	12.7	11.5	18.6	17.4
4SDM6/17	4SD6/17	1.2"/1.5"/2"	842	474	439	1316	1281	100	95	6.4	14.4	12.7	20.8	19.1
4SDM6/20	4SD6/20	1.2"/1.5"/2"	946	514	474	1460	1420	100	95	7.1	16.4	14.4	23.5	21.5
4SDM6/23	4SD6/23	1.2"/1.5"/2"	1049	554	514	1603	1563	100	95	7.9	19.8	16.4	27.7	24.3
4SDM6/26	4SD6/26	1.2"/1.5"/2"	1183	589	554	1772</								



MODEL MODELO MODÈLE МОДЕЛЬ		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS/РАЗМЕРЫ mm								NW kg			
1-ph	3-ph		P	M		T		ØD1	ØD2	P	M		T	
		inch	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph			1-ph	3-ph	1-ph	3-ph
4SDM12/4	4SD12/4	2"	428	349	334	777	762	100	95	3.2	8.7	7.9	11.9	11.1
4SDM12/5	4SD12/5	2"	474	369	349	843	823	100	95	3.5	9.8	8.7	13.3	12.2
4SDM12/6	4SD12/6	2"	520	389	369	909	889	100	95	3.8	10.6	9.8	14.4	13.6
4SDM12/7	4SD12/7	2"	567	414	389	981	956	100	95	4.1	11.5	10.6	15.6	14.7
4SDM12/8	4SD12/8	2"	613	439	414	1052	1027	100	95	4.5	12.7	11.5	17.2	16.2
4SDM12/10	4SD12/10	2"	744	474	439	1218	1183	100	95	5.4	14.4	12.7	19.8	18.1
4SDM12/12	4SD12/12	2"	837	514	474	1351	1311	100	95	6.1	16.4	14.4	22.5	20.5
4SDM12/14	4SD12/14	2"	930	554	514	1484	1444	100	95	6.7	19.8	16.4	26.5	23.1
4SDM12/16	4SD12/16	2"	1023	589	554	1612	1577	100	95	7.3	21.5	19.8	28.8	27.1
-	4SD12/18	2"	1116	-	589	-	1705	100	95	8.0	-	21.5	-	29.5
-	4SD12/21	2"	1293	-	629	-	1922	100	95	9.2	-	23.0	-	32.2
-	4SD12/26	2"	1525	-	719	-	2244	100	95	10.9	-	28.0	-	38.9
-	4SD12/30	2"	1749	-	839	-	2588	100	95	12.4	-	34.6	-	47.0
4SDM16/3	4SD16/3	2"	459	349	334	808	793	100	95	3.6	8.7	7.9	12.3	11.5
4SDM16/4	4SD16/4	2"	527	369	349	896	876	100	95	4.0	9.8	8.7	13.8	12.7
4SDM16/5	4SD16/5	2"	596	389	369	985	965	100	95	4.6	10.6	9.8	15.2	14.4
4SDM16/6	4SD16/6	2"	664	414	389	1078	1053	100	95	5.2	11.5	10.6	16.7	15.8
4SDM16/7	4SD16/7	2"	764	439	414	1203	1178	100	95	5.9	12.7	11.5	18.6	17.4
4SDM16/8	4SD16/8	2"	833	474	439	1307	1272	100	95	6.5	14.4	12.7	20.9	19.2
4SDM16/10	4SD16/10	2"	970	514	474	1484	1444	100	95	7.5	16.4	14.4	23.9	21.9
4SDM16/11	4SD16/11	2"	1038	554	514	1592	1552	100	95	8.1	19.8	16.4	27.9	24.5
4SDM16/13	4SD16/13	2"	1206	589	554	1795	1760	100	95	9.4	21.5	19.8	30.9	29.2
-	4SD16/15	2"	1343	-	589	-	1932	100	95	10.4	-	21.5	-	31.9
-	4SD16/17	2"	1480	-	629	-	2109	100	95	11.5	-	23.0	-	34.5
-	4SD16/21	2"	1785	-	719	-	2504	100	95	13.9	-	28.0	-	41.9
-	4SD16/24	2"	2022	-	839	-	2861	100	95	15.8	-	34.6	-	50.4
4SDM20/3	4SD20/3	2"/2.5"	477	369	349	846	826	100	95	3.6	9.8	8.7	13.4	12.3
4SDM20/4	4SD20/4	2"/2.5"	551	389	369	940	920	100	95	4.2	10.6	9.8	14.8	14
4SDM20/5	4SD20/5	2"/2.5"	626	414	389	1040	1015	100	95	4.8	11.5	10.6	16.3	15.4
4SDM20/6	4SD20/6	2"/2.5"	732	439	414	1171	1146	100	95	5.4	12.7	11.5	18.1	16.9
4SDM20/7	4SD20/7	2"/2.5"	806	474	439	1280	1245	100	95	6.0	14.4	12.7	20.4	18.7
4SDM20/8	4SD20/8	2"/2.5"	881	514	474	1395	1355	100	95	6.6	16.4	14.4	23.0	21.0
4SDM20/9	4SD20/9	2"/2.5"	955	554	514	1509	1469	100	95	7.3	19.8	16.4	27.1	23.7
4SDM20/11	4SD20/11	2"/2.5"	1104	589	554	1693	1658	100	95	8.3	21.5	19.8	29.8	28.1
-	4SD20/13	2"/2.5"	1284	-	589	-	1873	100	95	9.9	-	21.5	-	31.4
-	4SD20/15	2"/2.5"	1433	-	629	-	2062	100	95	10.5	-	23.0	-	33.5
-	4SD20/18	2"/2.5"	1688	-	719	-	2407	100	95	13.1	-	28.0	-	41.1
-	4SD20/21	2"/2.5"	1911	-	839	-	2750	100	95	14.9	-	34.6	-	49.5
5SDM10/6	5SD10/6	2"	499	412	397	911	896	125	125	5.7	15.9	14.5	21.6	20.2
5SDM10/8	5SD10/8	2"	567	447	432	1014	999	125	125	6.6	19.2	17.8	25.8	24.4
5SDM10/10	5SD10/10	2"	635	502	472	1037	1107	125	125	7.5	24.5	21.7	32.0	29.2
5SDM10/13	5SD10/13	2"	737	602	532	1339	1269	125	125	8.8	31.1	27.3	39.9	36.1
-	5SD10/17	2"	872	-	602	-	1474	125	125	10.5	-	31.1	-	41.6
-	5SD10/21	2"	1008	-	697	-	1705	125	125	12.2	-	39.2	-	51.4
-	5SD10/25	2"	1145	-	792	-	1937	125	125	13.9	-	47.3	-	61.2
-	5SD10/29	2"	1279	-	872	-	2117	125	125	15.6	-	54.1	-	69.7
5SDM15/4	5SD15/4	2"/2.5"	455	412	397	867	852	125	125	4.8	15.9	14.5	20.7	19.3
5SDM15/5	5SD15/5	2"/2.5"	493	447	432	940	925	125	125	5.3	19.2	17.8	24.5	23.1
5SDM15/7	5SD15/7	2"/2.5"	570	502	472	1072	1042	125	125	6.3	24.5	21.7	30.8	28.0
5SDM15/9	5SD15/9	2"/2.5"	647	602	532	1249	1179	125	125	7.3	31.1	27.3	38.4	34.6
-	5SD15/12	2"/2.5"	762	-	602	-	1364	125	125	8.8	-	31.1	-	39.9
-	5SD15/15	2"/2.5"	877	-	697	-	1574	125	125	10.3	-	39.2	-	49.5
-	5SD15/18	2"/2.5"	993	-	792	-	1785	125	125	11.8	-	47.3	-	59.1
-	5SD15/21	2"/2.5"	1108	-	872	-	1980	125	125	13.3	-	54.1	-	67.4



MODEL MODELO MODÈLE МОДЕЛЬ		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS/РАЗМЕРЫ mm								NW kg			
1-ph	3-ph		P	M		T		ØD1	ØD2	P	M		T	
		inch	1-ph	3-ph	1-ph	3-ph	1-ph	3-ph			1-ph	3-ph	1-ph	3-ph
5SDM22/4	5SD22/4	2"/2.5"	486	447	432	933	918	125	125	5.7	15.9	14.5	21.6	20.2
5SDM22/5	5SD22/5	2"/2.5"	532	502	472	1034	1004	125	125	6.2	19.2	17.8	25.4	24.0
5SDM22/7	5SD22/7	2"/2.5"	625	602	532	1227	1157	125	125	7.2	24.5	21.7	31.7	28.9
-	5SD22/9	2"/2.5"	718	-	602	-	1320	125	125	8.2	-	27.3	-	35.5
-	5SD22/11	2"/2.5"	811	-	697	-	1508	125	125	9.2	-	31.1	-	40.3
-	5SD22/13	2"/2.5"	904	-	792	-	1696	125	125	10.2	-	39.2	-	49.4
-	5SD22/16	2"/2.5"	1043	-	812	-	1855	125	125	11.7	-	47.3	-	59.0
5SDM30/3	5SD30/3	2.5"/3"	564	447	432	1011	996	125	125	9.4	15.9	14.5	23.8	22.4
5SDM30/4	5SD30/4	2.5"/3"	652	502	472	1154	1124	125	125	10.0	19.2	17.8	28.0	26.6
5SDM30/5	5SD30/5	2.5"/3"	740	602	532	1342	1272	125	125	10.6	24.5	21.7	34.2	31.4
-	5SD30/6	2.5"/3"	828	-	602	-	1430	125	125	11.2	-	27.3	-	37.9
-	5SD30/8	2.5"/3"	1058	-	697	-	1755	125	125	12.4	-	31.1	-	43.5
-	5SD30/9	2.5"/3"	1150	-	792	-	1942	125	125	13.3	-	39.2	-	52.5
-	5SD30/11	2.5"/3"	1322	-	812	-	2134	125	125	14.5	-	47.3	-	61.8
6SDM15/5	6SD15/5	3"/4"	538	518	498	1056	1036	137	135	7.8	25.3	23.1	33.1	30.9
6SDM15/6	6SD15/6	3"/4"	575	558	538	1133	1113	137	135	8.4	29.0	27.6	37.4	36.0
6SDM15/8	6SD15/8	3"/4"	651	618	593	1269	1244	137	135	9.6	35.4	33.4	45.0	43.0
-	6SD15/10	3"/4"	728	-	685	-	1413	137	135	10.8	-	40.2	-	51.0
-	6SD15/13	3"/4"	842	-	760	-	1602	137	135	12.6	-	48.1	-	60.7
-	6SD15/15	3"/4"	918	-	835	-	1753	137	135	13.8	-	55.2	-	69.0
-	6SD15/18	3"/4"	1033	-	910	-	1943	137	135	15.6	-	62.7	-	78.3
-	6SD15/21	3"/4"	1147	-	985	-	2132	137	135	17.4	-	70.4	-	87.8
6SDM25/3	6SD25/3	3"/4"	489	518	498	1007	987	137	135	6.7	25.3	23.1	32.0	29.8
6SDM25/4	6SD25/4	3"/4"	536	558	538	1094	1074	137	135	7.5	29.0	27.6	36.5	35.1
6SDM25/6	6SD25/6	3"/4"	630	618	593	1248	1223	137	135	9.1	35.4	33.4	44.5	42.5
-	6SD25/8	3"/4"	725	-	685	-	1410	137	135	10.7	-	40.2	-	50.9
-	6SD25/10	3"/4"	819	-	760	-	1579	137	135	11.7	-	48.1	-	59.8
-	6SD25/12	3"/4"	914	-	835	-	1749	137	135	13.3	-	55.2	-	68.5
-	6SD25/14	3"/4"	1009	-	910	-	1919	137	135	14.5	-	62.7	-	77.2
-	6SD25/16	3"/4"	1104	-	985	-	2089	137	135	16.1	-	70.4	-	86.5
-	6SD25/18	3"/4"	1199	-	1135	-	2334	137	135	17.7	-	83.3	-	101.0
-	6SD25/20	3"/4"	1294	-	1135	-	2429	137	135	19.3	-	83.3	-	102.6
6SDM35/3	6SD35/3	3"/4"	463	558	538	1021	1001	137	135	7.1	29.0	27.6	36.1	34.7
6SDM35/4	6SD35/4	3"/4"	580	618	593	1198	1173	137	135	8	35.4	33.4	43.4	41.